

Installation of Additional MAP190 Databases MAP190 V5.6 and up

Description

By default a local Microsoft Access database named 'Local_MAP_Database_V1.accdb' is created at installation time of MAP190. The file is located in

'C:\Users\%UserName%\AppData\Local\Landis+Gyr\MAP190'. %UserName% needs to be replaced by your Windows user name.

Since the default database is fully empty please contact your local Landis+Gyr representative to obtain a valid device description file for import.

To install additional, local MAP190 databases all the steps described below are required for every database.

1. Create Local Database

Copy an already existing MAP190 Access database file (*.mdb or *.accdb) to the desired directory located on a local hard disk or on a file share and give it a useful name.

Example:

🚱 🝚 – 📙 « UserName 🕨 AppData 🕨	Local ▶ Landis+Gyr ▶ MAP190 ▶	▼ \$ Se	arch MAP190
Organize Include in library Sha	are with Burn New folder		· · · · ·
⊳ 👢 dMAP120 🔷	Name	Date modified	Туре
> 📙 dMAP120.exe_Url_3bs > 👢 dMAP120.exe_Url_izmi	. 5.4	13.08.2012 15:06	File folder
⊳ 👢 dMAP120.exe_Url_u5d	Local_MAP_Database_V1.accdb	14.05.2012 18:25	Microsoft Access Database
⊿ 📜 MAP190	My_local_MAP_Database.accdb	14.05.2012 18:25	MICrosoft Access Database
5.4 Windows J J Windows J J J J J J J			
	1	III	4
3 items			

A new local database named 'My_Local_MAP_Database.accdb' has been added.

2. Create ODBC Link to the Database

In the control panel start the 32-Bit ODBC Data Source Administrator (odbcad32.exe) and select the 'User DSN' Tab:





Press <Add> to create a new Data Source:

Create New Data Source		×
	Select a driver for which you want to set up a d Name Driver do Microsoft dBase (*.dbf) Driver do Microsoft Excel(*.xls) Driver do Microsoft Paradox (*.db) Driver para o Microsoft Visual FoxPro	data source. Version 6.01.7601.17€ 6.01.7601.17€ 6.01.7601.17€ 1.00.02.00
	Microsoft Access dBASE Driver (*.dbf, *.n Microsoft Access Driver (*.mdb) Microsoft Access Driver (*.mdb, * accdb) Microsoft Access Text Driver (*.txt, *.csv)	14.00.6015.10 6.01.7601.17€ 14.00.6015.10 14.00.6015.10 ▼
	<	4
	< <u>B</u> ack Finish	Cancel

Select 'Microsoft Access Driver (*.mdb, *.accdb)' with version 14 and press <Finish>

Caution: The former 'Microsoft Access Driver (*.mdb)' version 6.x or 10.x is not supported anymore. If the new driver is not available on your system the Microsoft Access Database Engine 2010 (ACE) needs to be installed. The necessary files are available on the Microsoft download pages in the Internet.

ODBC Microsoft Acce	ess Setup	? ×
Data Source <u>N</u> ame:	My_Local_MAP_Database	ОК
Description:	2nd local MAP Database	Cancel
Database:		Help
<u>S</u> elect	<u>C</u> reate <u>R</u> epair Co <u>m</u> pact	Advanced
System Database		
Non <u>e</u>		
O Da <u>t</u> abase:		
	System Database	Options>>

Enter a data source name and a description. The text entered in the 'Data Source Name' field will appear in the MAP190 database selection list.

Press < Select>:

Select Database			X
Database N <u>a</u> me .ocal_MAP_Database.accdb Local_MAP_Database_V My_Local_MAP_Databas	Directories: c:\\landis+gyr\map190 C ⊂:\ C Users UserName AppData C Local C Landis+Gyr MAP190 C 5.4	•	OK Cancel Help Read Only Exclusive
List Files of <u>T</u> ype: Access Databases (*.mdt ▼	Dri <u>v</u> es: ■ c: Default	¥	Network

Browse to the desired database and select it.

Hint: If the database directory is not visible enter the directory name into the 'Database Name' field and press <enter>.

Press <OK> as many times as required to finish the setup.

3. Open Database

Start MAP190:

MAP190 - Login and Database Selection	X
Login Settings	
User Name UserName	
Database Local_MAP_Database_54	<u>S</u> elect
Open as <u>R</u> ead-only	
✓ Show Login at Startup	
Filter Settings	
Use <u>Filter Criteria</u> S <u>elect</u>	
	A
Cancel	<u>L</u> ogin

Press <Select>:

MAP190 - System Data Sources		
Data Source Name	Data Source Driver	
Visio Database Samples	Microsoft Access Driver (*.mdb, *.accdb)	
MS Access Database	Microsoft Access Driver (*.mdb, *.accdb)	
Local_MAP_Database_V1	Microsoft Access Driver (*.mdb, *.accdb)	
Local_MAP_Database_54	Microsoft Access Driver (*.mdb)	
dBASE Files	Microsoft Access dBASE Driver (*.dbf, *.ndx, *.mdx)	
My_Local_MAP_Database	Microsoft Access Driver (*.mdb, *.accdb)	
Excel Files	Microsoft Excel Driver (*.xls, *.xlsx, *.xlsm, *.xlsb)	
,		
	OK Cancel	

Choose the new database from the list and press <OK>.